

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	45	(vga adj mode) and ((jump adj table) or (lookup adj table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 10:09
L2	245	(703/24).CCLS.	USPAT	OR	OFF	2005/06/08 10:09
L3	4	2 and (jump adj table)	USPAT	OR	OFF	2005/06/08 10:10
L4	0	2 and (vga adj emulator)	USPAT	OR	OFF	2005/06/08 10:10
L5	0	2 and (vga adj emulation)	USPAT	OR	OFF	2005/06/08 10:10

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	vga adj emulat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:04

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	9	vga adj emulat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:25
S2	235	table same ((video or vga) adj mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 11:26
S3	4	S2 and (jump adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 11:28
S4	0	(vga adj mode adj flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 11:28
S5	2	(video adj mode adj flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 11:29
S6	2	(video adj emulat\$5) and (mode same table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 11:31
S7	7	(graphic adj emulat\$5) and (mode same table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 11:34
S8	43	(graphic adj emulat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 11:34

S9	25	S8 and table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 11:34
----	----	--------------	---	----	----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	23	(hardware adj emulation adj layer) or (hardware-emulation adj layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 13:51



## Web

Results 1 - 10 of about 232,000 for Video hardware emulation jump table. (0.36 seconds)

### HOWTO: Writing a Computer Emulator

Write some draft code to **emulate** the rest of the **hardware**, at least partially.

... appear to compile into a **jump table**, which makes them quite efficient. ...

fms.komkon.org/EMUL8/HOWTO.html - 29k - [Cached](#) - [Similar pages](#)

### 6502 SYS

... to support the non-standard facilities of the required IBM **hardware emulation**.

... The only valid alternative is to modify the **jump table** in 6502. ...

bbc.nvg.org/doc/Master%20512%20Technical%20Guide/m512tech05.htm - 33k - [Cached](#) - [Similar pages](#)

### :: Welcome to http://fba.emuunlim.com :: FBA is an emulator for ...

Some **emulators** support all of the above, some only support 2 joysticks, ...

Some graphics **hardware** will check the settings and **video** memory each scanline. ...

fba.emuunlim.com/index.php?subaction=showcomments&id=1079127654&archive=&start\_from=&ucl... - 21k -

[Cached](#) - [Similar pages](#)

### NES emulation discussion Brad Taylor The reason you are reading ...

This article discusses efficient **emulation** implementation of the NES's CPU ...

If possible, instead of using a **jump table**, organize the branch targets in ...

www.nesworld.com/dev/nescdiscu.txt - 19k - [Cached](#) - [Similar pages](#)

### TECHNICAL INFORMATION

At this address started **emulation** of instruction CALL, which has operation code CD!

... See example in FAQ with differences of **video** modes. Other **hardware** ...

tezxas.ticalc.org/technica.htm - 12k - [Cached](#) - [Similar pages](#)

### How To Write EMU

Write some draft code to **emulate** the rest of the **hardware**, at least ... (100-200 and more cases) always appear to compile into a **jump table**, which ...

www.romlist.com/howto.html - 23k - [Cached](#) - [Similar pages](#)

### ZX Spectrum Emulator in Java @ JDJ

According to Merriam-Webster an **emulator** is "hardware or software that permits

... is extremely fast since the JVM implements it internally as a **jump table**, ...

jdj.sys-con.com/read/370661.htm - 74k - [Cached](#) - [Similar pages](#)

### Emubboards > gbaZ

Messing with function **jump tables** isn't to ohard (See all the Hack stuff), ...

we are not talking total **hardware** solutions we are talking the **VIDEO CARD** in ...

www.emubboards.com/invision/lofiversion/index.php/t20385.html - 29k - [Cached](#) - [Similar pages](#)

### \*NES emulator development guide ...

... fetched 6502 opcodes are used as an index into a 256-element **jump table**, ...

large overhead penalties that are incurred when **hardware emulation** routine ...

nesdev.parodius.com/NES%20emulator%20development%20guide.txt - 82k - [Cached](#) - [Similar pages](#)

### \*NES emulation discussion\* \*\*\*\*\* Brad Taylor ...

... on the **hardware** level: a read from the **video** card (which is already slow),

... On the other hand, **jump table**-based 6502 instruction processing is more ...

nesdev.parodius.com/NES%20emulation%20discussion.txt - 44k - [Cached](#) - [Similar pages](#)

# Google API Proximity Search (GAPS)

From [staggernation.com](http://staggernation.com) - [Read Me](#) - [GAPS](#) - [GARBO](#) - [GAWSH](#)

Find  within  word(s) of

Additional terms:

Show  results, with up to  from each query ☐ Filter each query

License key (optional)

If you have your own Google API license key, we would appreciate your entering it here. It will be used only for the searches you do with this script, and it will not be stored anywhere or used in any other way.

Found vga within 3 words of emulation.

First 38 results of about 1,567 from 4 queries.

[@Macarlo, Inc. Internet Services](#) [distance: 2]

**VGA color graphics emulation**, using PM, DIVE, and Fullscreen - 1.44M 3&1/2" floppy disk - AT/IDE hard drive via image file or direct access ...

<http://macarlo.com/bochs22311.htm> - 15k - [Cached](#) - [Similar pages](#)

[A](#) [distance: 2]

**OUT-VGA port output emulation**. OUTPUT-A file mode Up P. PAINT-fill an area with a color PALETTE-customize current palette. ...

<http://www.wildgardenseed.com/RQDP/FreeBasic/FBhelp/indexa.html> - 38k - [Cached](#) - [Similar pages](#)

[ANSIPLUS Controlling Other Features](#) [distance: 2]

**MONOCHROME, VGA monochrome monitor emulation**. RETRACE, Wait for retrace before setting palette registers. Screen Scroll-Back ...

<http://www.sweger.com/ansiplus/UseSetAplus.html> - 38k - [Cached](#) - [Similar pages](#)

[ANSIPLUS Selecting and Defining Colors](#) [distance: 2]

**MONOCHROME, Begins VGA monochrome monitor emulation**. COLOR, Ends **VGA monochrome monitor emulation** and restores colors ...

<http://www.sweger.com/ansiplus/UseSetColor.html> - 34k - [Cached](#) - [Similar pages](#)

[Flickerdown Data Systems :: View topic - Win98](#) [distance: 3]

... That is progress, baby. Add to this the other weird Dos add ons such as EMS drivers, **VGA cards, sound blaster emulation**, and you have a mess. ...

<http://www.flickerdown.com/phpBB2/viewtopic.php?t=4045> - 62k - [Cached](#) - [Similar pages](#)

[Flickerdown Data Systems :: View topic - Win98](#) [distance: 3]

... That is progress, baby. Add to this the other weird Dos add ons such as EMS drivers, **VGA cards, sound blaster emulation**, and you have a mess. ...

<http://www.flickerdown.com/phpBB2/viewtopic.php?p=46053&sid=f8147da918f02d0b8ecaaae3a05d0e42> - 62k - [Cached](#) - [Similar pages](#)

[GCS82B - GreatCables.com](#) [distance: 3]

Monitor - (2) HDB-15 male (Standard **VGA/SVGA**) **EMULATION** - Keyboard: PS/2 & AT Mouse : PS/2 **VGA** - 1920 x 1440, DDC2B INDICATORS - LEDs for On-Line, Selected ...

<http://www.greatcables.com/s.nl/sc.9/category.141/it.A/id.4871/f> - 40k - [Cached](#) - [Similar pages](#)

[How to get vga device emulation - Microsoft Technical Forums](#) [distance: 1]

How to get **vga device emulation** Thread Starter: jamie r Started: 05-13-2005 12:22 AM

... Re: How to get **vga device emulation** Comment Was this post helpful ? ...

<http://forums.microsoft.com/msdn/ShowPost.aspx?PostID=9453> - 50k - [Cached](#) - [Similar pages](#)

[IN2118 - 2001 Catalog Pages 26 & 27](#) [distance: 2]

format, sync polarity mirroring, serration pulses. enable / disable, horizontal control enable / disable., and **VGA / MAC monitor emulation** enable / disable. ...

<http://www.inlineinc.com/products/interface/pdf/IN2118.pdf> - [Cached](#) - [Similar pages](#)

[Index of /support/patches](#) [distance: 1]

Filename Purpose lilo-22.6.1-novga.diff Fix for **VGA/serial emulation** garbage on console at boot  
syslinux-novga.diff Fix for **VGA/serial emulation** garbage on ...  
<http://metrix.net/support/patches/> - 3k - [Cached](#) - [Similar pages](#)

[Intrinsix Corp.](#) [distance: 1]

Photo 2 Quickturn **VGA Core Emulation** Photo 3 In Circuit Emulation of VGA Core  
With Dual Scan LCD Interface The core is supplied with a complete Verilog XL ...  
[http://www.intrinsix.com/ElectronicProductDesign/VGACore/VGA\\_Core.asp?MenuID=14](http://www.intrinsix.com/ElectronicProductDesign/VGACore/VGA_Core.asp?MenuID=14) - 236k - [Cached](#) - [Similar pages](#)

[Jeux Dreamcast Telecharge ISO - DotGNU Wiki](#) [distance: 2]

[WWW]vga box dreamcast [WWW]vga box dreamcast [WWW]vga box **dreamcast emulation**  
and dreamcast [WWW]vga box dreamcast [WWW]vga box dreamcast jeu console ...  
[http://wiki2.dotgnu.info/Jeux\\_20Dreamcast\\_20Telecharge\\_20ISO](http://wiki2.dotgnu.info/Jeux_20Dreamcast_20Telecharge_20ISO) - 132k - [Cached](#) - [Similar pages](#)

[Leadman Electronics - Award Plus](#) [distance: 1]

PS/2 Keyboard, PS/2 Mouse, Super **VGA monitor emulation** & "PnP". PC selection by  
Auto scan, or Hot Key control. Mini pocket size and Built-in cable between ...  
<http://www.leadman.com/products/prodlist.cfm?prodseq=J9AB02> - 20k - [Cached](#) - [Similar pages](#)

[Leadman Electronics Auto KVM switch for 2PCs to 1 Keyboard, mouse ...](#) [distance: 1]

... Auto KVM switch for 2PCs to 1 Keyboard, mouse, monitor and speaker. PS/2  
Keyboard, PS/2 Mouse, Super **VGA monitor emulation** & "PnP". ...  
<http://www.leadman.com/products/item.cfm?prodcd=WCSA2300&DROPSHIP=Y> - 101k - [Cached](#) - [Similar pages](#)

[Linuxbroker - VESA/VGA BIOS emulation](#) [distance: 1]

... Subject: **VESA/VGA BIOS emulation** From: Chip Coldwell Date: Thu, 16 Dec 2004  
15:24:43 -0500 I posted this question on comp.os.vms a few days ago, but nobody's ...  
<http://newsgroups.linuxbroker.com/index.php?tab=com&newsgroup=comp.os.linux.alpha&article=556> - 14k - [Cached](#) - [Similar pages](#)

[Mechwarrior](#) [distance: 3]

Mechwarrior Dynamix/Activision 1989, Requires 8mhz recommended. Requires 512k  
RAM & Color Monitor EGA & **VGA (in EGA emulation)** Supports Adlib & Roland MT-32 ...  
<http://www.links.net/dox/warez/games/mechwarrior/> - 6k - [Cached](#) - [Similar pages](#)

[Membled Messageboards](#) [distance: 3]

... Subject, **VGA frame synchronization with emulation** (sorry for the re-post), Reply  
to this message. Posted by, Big Time. Posted on, 2/25/03 2:14 PM. ...  
<http://nesdev.parodius.com/cgi-bin/wwwthreads/showpost.pl?Board=general&Number=146&page=8&view=expanded&sb=5> - 11k  
- [Cached](#) - [Similar pages](#)

[Membled Messageboards](#) [distance: 3]

... Subject, Re: **VGA frame synchronization with emulation** (sorry for the re-post), Reply  
to this message. Posted by, Big Time. Posted on, 2/26/03 10:29 AM. ...  
<http://nesdev.parodius.com/cgi-bin/wwwthreads/showpost.pl?Board=general&Number=149&page=8&view=expanded&sb=5> - 9k -  
[Cached](#) - [Similar pages](#)

[Re: How to get vga device emulation - Microsoft Technical Forums](#) [distance: 1]

Re: How to get **vga device emulation** Thread Starter: jamie r Started: 05-13-2005  
... How to get **vga device emulation** AnsweredQuestion Was this post helpful ? ...  
<http://forums.microsoft.com/msdn/ShowPost.aspx?PostID=11920> - 50k - [Cached](#) - [Similar pages](#)

[Re: \[Qemu-devel\] qemu static elf boot / VGA emulation](#) [distance: 0]

Re: [Qemu-devel] qemu static elf boot / **VGA emulation** ... Re: [Qemu-devel] NetBSD  
is booting :) (was: qemu static elf boot / **VGA emulation**); Index(es): ...  
<http://lists.gnu.org/archive/html/qemu-devel/2003-07/msg00092.html> - 9k - [Cached](#) - [Similar pages](#)

[Re: \[Qemu-devel\] qemu static elf boot / VGA emulation](#) [distance: 0]

Re: [Qemu-devel] qemu static elf boot / **VGA emulation** ... NetBSD is booting :) (was:  
qemu static elf boot / **VGA emulation**), Nicolas Ollinger, 2003/07/28 ...  
<http://lists.gnu.org/archive/html/qemu-devel/2003-07/msg00091.html> - 7k - [Cached](#) - [Similar pages](#)



Re: [Qemu-devel] qemu static elf boot / **VGA emulation** [distance: 0]

I think now the problem is that a proper **VGA emulation** is needed. I plan to add it soon by using an SDL wrapper. My only problem is to choose the right SVGA ...

<http://lists.gnu.org/archive/html/qemu-devel/2003-07/msg00090.html> - 8k - [Cached](#) - [Similar pages](#)

Re: [Qemu-devel] qemu static elf boot / **VGA emulation** [distance: 0]

Re: [Qemu-devel] qemu static elf boot / **VGA emulation** ... NetBSD is booting :) (was: qemu static elf boot / **VGA emulation**), Nicolas Ollinger, 2003/07/28 ...

<http://lists.gnu.org/archive/html/qemu-devel/2003-07/msg00094.html> - 7k - [Cached](#) - [Similar pages](#)

SW-KMH2 - OEM 2-way PS2/PS2/**VGA switchbox w/emulation**, hotkey ... [distance: 3]

Control up to 2 PCs from one with this switchbox. Two 1.8m custom cables included for PS/2 keyboard, PS/2 mouse & VGA. Good for high resolution display (1920 ...

[http://www.auspcmarket.com.au/show\\_product\\_info.php?input%5Bproduct\\_code%5D=SW-KMH2&input%5Bcategory\\_id%5D=301](http://www.auspcmarket.com.au/show_product_info.php?input%5Bproduct_code%5D=SW-KMH2&input%5Bcategory_id%5D=301) - 12k - [Cached](#) - [Similar pages](#)

SW-MPC4010 - OEM 4-way PS2/PS2/**VGA switchbox w/emulation**, hotkey ... [distance: 3]

Control up to 4 PCs from one with this switchbox. Four 1.8m custom cables included for PS/2 keyboard, PS/2 mouse & VGA. Good for high resolution display ...

[http://www.auspcmarket.com.au/show\\_product\\_info.php?input%5Bproduct\\_code%5D=SW-MPC4010&input%5Bcategory\\_id%5D=302](http://www.auspcmarket.com.au/show_product_info.php?input%5Bproduct_code%5D=SW-MPC4010&input%5Bcategory_id%5D=302) - 13k - [Cached](#) - [Similar pages](#)

SW-MPC4010 - OEM 4-way PS2/PS2/**VGA switchbox w/emulation**, hotkey ... [distance: 3]

Control up to 4 PCs from one with this switchbox. Four 1.8m custom cables included for PS/2 keyboard, PS/2 mouse & VGA. Good for high resolution display ...

[http://www.auspcmarket.com.au/show\\_product\\_info.php?input%5Bproduct\\_code%5D=SW-MPC4010&input%5Bcategory\\_id%5D=173](http://www.auspcmarket.com.au/show_product_info.php?input%5Bproduct_code%5D=SW-MPC4010&input%5Bcategory_id%5D=173) - 13k - [Cached](#) - [Similar pages](#)

Spatial Data and the Voronoi Tessellation [distance: 3]

... an executable View program in DOS real mode, compiled for **VGA with math coprocessor emulation**; and ASCII source code for the programs. ...

<http://www.geodyssey.com/papers/dobbs92.html> - 23k - [Cached](#) - [Similar pages](#)

Switches VGA & PS/2 between any combination of sixteen computers [distance: 2]

PC Port: 16 PS/2 & **VGA**; Keyboard Emulation Port: PS/2; Mouse Emulation Port: PS/2; VGA Resolution: 1920X1440; Bandwidth: 200MHz; Power Adapter: 9VDC ...

[http://www.gefen.com/kvm/product.jsp?prod\\_id=2649](http://www.gefen.com/kvm/product.jsp?prod_id=2649) - 16k - [Cached](#) - [Similar pages](#)

Using a VGA card and an Integrator board [distance: 2]

You basically need to run the x86 **VGA bios under emulation** to boot any VGA card properly; VGA documentation tends to be a very closely guarded secret. ...

<http://lists.arm.linux.org.uk/pipermail/linux-arm/2001-September/002112.html> - 3k - [Cached](#) - [Similar pages](#)

Using a VGA card and an Integrator board [distance: 2]

You basically need to run the x86 **VGA bios under emulation** to boot any VGA card properly; VGA documentation tends to be a very closely guarded secret. ...

<http://lists.arm.linux.org.uk/pipermail/linux-arm/2001-September/002119.html> - 4k - [Cached](#) - [Similar pages](#)

Values for Chips&Technologies emulation type [distance: 2]

Back ] [ Next ]. Value, Description. 00h, 01h. reserved. 02h. CGA. 03h. MDA. 04h. Hercules. 05h. EGA. 06h. **VGA (disable emulation)**

<http://faydoc.tripod.com/structures/01/0179.htm> - 4k - [Cached](#) - [Similar pages](#)

[Open-graphics] **VGA emulation** register documentation. [distance: 0]

[Open-graphics] **VGA emulation** register documentation. Patrick McNamara wpmcnamara at yahoo.com Wed May 4 19:23:50 PDT 2005 ...

<http://lists.duskglow.com/open-graphics/2005-May/003151.html> - 3k - [Cached](#) - [Similar pages](#)

[Open-graphics] Initial thoughts [distance: 0]

Can we get rid of **VGA emulation**? > > > So long as there are important programs

... It's a shame we can't implement the **VGA emulation** entirely in software. ...

<http://lists.duskglow.com/open-graphics/2004-December/000949.html> - 5k - [Cached](#) - [Similar pages](#)

[\[Open-graphics\] Initial thoughts \[distance: 0\]](#)

Can we get rid of **VGA emulation**? So long as there are important programs out ...

It's a shame we can't implement the **VGA emulation** entirely in software. ...

<http://lists.duskglow.com/open-graphics/2004-December/000915.html> - 5k - [Cached](#) - [Similar pages](#)

[gmane.comp.emulators.xen.devel \[distance: 0\]](#)

Subject: [PATCH] ioemu: enable Cirrus **VGA emulation** Newsgroups:

gmane.comp.emulators.xen.devel Date: 2005-05-27 19:09:55 GMT ...

<http://comments.gmane.org/gmane.comp.emulators.xen.devel/10649> - 7k - [Cached](#) - [Similar pages](#)

[wine-patches mailing list: winedos / Add sanity check for VGA ... \[distance: 1\]](#)

... This frambuffer also acts as an interface \* between **VGA controller emulation**

and DirectDraw. @@ -593,15 +603,17 @@ if(vga\_fb\_window ...

<http://www.winehq.org/hypermail/wine-patches/2003/08/0259.html> - 6k - [Cached](#) - [Similar pages](#)

[xen-changelog \[Xen-changelog\] \[PATCH\] \[PATCH\] ioemu: enable Cirrus ... \[distance: 0\]](#)

[Xen-changelog] [PATCH] [PATCH] ioemu: enable Cirrus **VGA emulation** ... enable Cirrus

**VGA emulation** At some point the Cirrus VGA driver was commented out. ...

<http://lists.xensource.com/archives/html/xen-changelog/2005-05/msg00549.html> - 11k - [Cached](#) - [Similar pages](#)

[xen-devel \[Xen-devel\] \[PATCH\] ioemu: enable Cirrus \*\*VGA emulation\*\* \[distance: 0\]](#)

[Xen-devel] [PATCH] ioemu: enable Cirrus **VGA emulation** ... [Xen-devel] [PATCH]

ioemu: enable Cirrus **VGA emulation**, Leendert van Doorn <= ...

<http://lists.xensource.com/archives/html/xen-devel/2005-05/msg01150.html> - 11k - [Cached](#) - [Similar pages](#)

Find  within  word(s) of

Additional terms:

Show  results, with up to  from each query ☐ Filter each query

License key  
(optional)

If you have your own Google API license key, we would appreciate your entering it here. It will be used only for the searches you do with this script, and it will not be stored anywhere or used in any other way.

Find  within  word(s) of

in that order

Sort by title

Additional terms:

Show  results, with up to  from each query ☐ Filter each query

License key (optional)

If you have your own Google API license key, we would appreciate your entering it here. It will be used only for the searches you do with this script, and it will not be stored anywhere or used in any other way.

No results found for "vga emulation" within 3 words of "look up table".



USPTO


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

+lookup +table +VGA +emulation +mode

12/31

THE ACM DIGITAL LIBRARY

 [Feedback](#) [Report a problem](#) [Satisfaction survey](#)


Published before July 2000

Found 1 of 108,143

Terms used lookup table VGA emulation mode

Sort results  
by

relevance

 [Save results to a Binder](#)

[Try an Advanced Search](#)

Display  
results

expanded form

 [Search Tips](#)

[Try this search in The ACM Guide](#)

☐ [Open results in a new window](#)


Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Pen computing: a technology overview and a vision](#)

André Meyer

July 1995 **ACM SIGCHI Bulletin**, Volume 27 Issue 3

Full text available:  pdf(5.14 MB)

[Additional Information: full citation, abstract, citations, index terms](#)

This work gives an overview of a new technology that is attracting growing interest in public as well as in the computer industry itself. The visible difference from other technologies is in the use of a pen or pencil as the primary means of interaction between a user and a machine, picking up the familiar pen and paper interface metaphor. From this follows a set of consequences that will be analyzed and put into context with other emerging technologies and visions. Starting with a short historic ...

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

## Nothing Found

Your search for **+\"jump table\" +\"vga mode\"** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

## Quick Tips

- Enter your search terms in [lower case](#) with a space between the terms.

sales offices

You can also enter a full question or concept in [plain language](#).

Where are the sales offices?

- Capitalize [proper nouns](#) to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a [phrase](#) in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term [must appear](#) on a page.

museum +art

- Exclude pages by using a **-** if a search term [must not appear](#) on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago



Search Results

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[SUPPORT](#)

Results for "( emulating <in>metadata ) <and> ( vga<in>metadata ) <and> ( hardware<in>..."

Your search matched 0 of 1168854 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

e-mail printer friendly

[» View Session History](#)

[» New Search](#)

Modify Search

[» Key](#)

( emulating <in>metadata ) <and> ( vga<in>metadata ) <and> ( hardware<in>metada

IEEE JNL IEEE Journal or Magazine

☐ Check to search only within this results set

IEEE JNL IEE Journal or Magazine

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

**No results were found.**

IEEE STD IEEE Standard

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.



**Search Results**

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[SUPPORT](#)

Results for "(vga<in>metadata) <and> (modes<in>metadata) <and> (lut<in>metada..."

Your search matched **0** of **1168854** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

[e-mail](#) [printer friendly](#)

[» View Session History](#)

[» New Search](#)

[» Key](#)

Modify Search

(vga<in>metadata) <and> (modes<in>metadata) <and> (lut<in>metada...

IEEE JNL IEEE Journal or Magazine

☐ Check to search only within this results set

IEEE JNL IEE Journal or Magazine

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

**No results were found.**

IEEE STD IEEE Standard

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.